

ANTACID ANTI-GAS RELIEF CHEWS- calcium carbonate tablet, chewable Family Dollar

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Calcium Carbonate 750 mg
Simethicone 80 mg**

Active ingredients (in each chewable tablet)

Calcium carbonate 750 mg

Simethicone 80 mg

Purpose

Antacid

Anti-gas

Uses Relieves

Heartburn

Sour stomach

Acid indigestion

Upset stomach associated with these symptoms

Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** Calcium 300 mg

- Contains soy
- Store between 20° to 25°C (68° to 77°F) in a dry place.

Inactive ingredients: Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose, and titanium dioxide.

Questions? Call **1-800-245-2898**

Drug Facts (continued)

Other information ■ Each chewable tablet contains:
Calcium 300mg ■ Contains soy ■ Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients Acacia gum, beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 6 aluminum lake, hydrogenated coconut oil, modified corn starch, natural & artificial flavors, phosphoric acid, pregelatinized corn starch, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY:
MIDWOOD BRANDS, LLC
500 VOLVO PARKWAY
CHESAPEAKE, VA 23320

NO INK OR VARNISH

NOT 100% SATISFIED?
Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.
Made in USA of U.S. and imported ingredients.

COMPARE TO THE ACTIVE INGREDIENT IN
ALKA-SELTZER® HEARTBURN + GAS RELIEF CHEWS™

FAMILY wellness™

Antacid FLAVOR CHEWS® & GAS RELIEF
750 mg Calcium Carbonate/Antacid
80 mg Simethicone/Anti-gas

MIXED BERRY

32 CHEWABLE TABLETS

RELIEVES:
• HEARTBURN
• SOUR STOMACH
• ACID INDIGESTION
• GAS, PRESSURE & BLOATING

OTC network

SKU 0999819
Flavor Chews® is a registered trademark of BestCo, LLC

Drug Facts

Active ingredient (in each chewable tablet) Purpose
Calcium carbonate 750 mg.....Antacid
Simethicone 80 mg.....Anti-gas

Uses Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion
■ Upset stomach due to these symptoms ■ Bloating, pressure or stuffed feeling commonly referred to as gas

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients
Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.
When using this product constipation may occur
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

0 32251 37937 6

PN-218732

ANTACID ANTI-GAS RELIEF CHEWS

calcium carbonate tablet, chewable

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55319-018
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		DIMETHICONE	80 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)		CALCIUM CARBONATE	750 mg
Inactive Ingredients			
Ingredient Name		Strength	
SUCROSE (UNII: C151H8M554)			

Product Characteristics

Color	pink (mauve)	Score	no score
Shape	ROUND	Size	14mm
Flavor	BERRY	Imprint Code	DR
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-018-32	32 in 1 BOTTLE; Type 0: Not a Combination Product	01/26/2018	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	01/26/2018	

Labeler - Family Dollar (024472631)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(55319-018)

Revised: 11/2021

Family Dollar